


Cronus-DS1000

Cronus-DS1000 automatically denies entry to anyone not carrying a valid credential or is detected carrying potentially dangerous metal objects including knives and guns. It also scans employees for concealed metal objects when they're exiting the workplace. Cronus-DS1000 prohibits company's metal objects and electronic data storage devices, etc, leave the facility without obtaining permission.




Standard Application

Armatura One Security Platform

Web-Based Versatile Security Platform

Armatura One is the ultimate “All-in-One” web-based security platform developed by Armatura. It contains multiple integrated modules: Personnel, Access Control, Time & Attendance, Elevator, Visitor, Parking Management, Video Management System, Office, Entrance Control, FaceKiosk, Defence, Data Monitor, Building Automation and Intrusion.



Access	Attendance	Elevator	Visitor	Parking	Video	Office
Personnel	Entrance Control	FaceKiosk	Defence	Data Monitor	Building Automation	Intrusion


10 USER-CONFIGURABLE MODES OF OPERATION

- **MODE 1 - High Security**
DETERS WORKPLACE VIOLENCE & EMPLOYEE THEFT by stopping inbound and outbound pedestrians if they don't have valid credentials or are detected carrying metal objects.
- **MODE 2 - Medium Security**
DETERS WORKPLACE VIOLENCE pedestrians if they are detected carrying metal objects including guns & knives. Doesn't scan outbound pedestrians.
- **MODE 3 - Medium Security**
DETERS EMPLOYEE THEFT by stopping outbound pedestrians if they don't have valid credentials or are detected carrying company property made of metal.
- **MODE 4 - Low Security**
SLOWS DOWN TRAFFIC Barriers open freely (no scanning) for everyone upon entry or exit.
- **MODE 5 - High Security**
OUTBOUND-ONLY LOCKDOWN Scans inbound pedestrians for valid credentials and metal objects. Prevents ALL pedestrians from exiting.
- **MODE 6 - High Security**
PREVENTS ENTRY Stops all inbound pedestrians, even if they have valid credentials and aren't carrying metal. Only outbound pedestrians are scanned for valid credential and metal objects.
- **MODE 8 - High Security**
EMERGENCY EVACUATION denies entry to pedestrians, regardless if they are authorized or not carrying metal objects. All outbound pedestrians are NOT scanned and are free to exit. Used when emergencies arise which. Necessitate quick evacuation.
- **MODE 9 - Highest Security**
INBOUND & OUTBOUND LOCKDOWN No scanning. Prevents ALL pedestrians from entering & exiting the facility.
- **MODE 10 - NO Security**
SLOWS DOWN TRAFFIC Barriers remain always open (no scanning)

Features

- Stylish Design includes rugged flap-barrier turnstile which restricts pedestrian access
- Dual Security Check: Card/Phone/Biometric authentication PLUS Metal Detection
- Small 5x6 ft footprint achieved by combining turnstile and metal detector into one integrated device.
- Can be ordered with integrated RFID or biometric access control readers
- Durable: SUS304 stainless steel case ensures long-lasting operation.
- Multiple LEDs help security personnel quickly & precisely locate and remove concealed metal objects from pedestrians. This reduces pedestrian wait time standing in line to be screened.
- Safe: Harmless to heart pacemakers, pregnant women, magnetic floppy disks, recording tapes, etc.
- Digital Pulse Technology: Excellent anti-interference performance using digital signal processing and filtering.

Dimension



Specifications

Input Voltage
110V to 240V, 50/60 Hz

Metal Detection
15 Overlapping Zones

Sensitivity
250+ Adjustable Settings

Motor
Brushless DC Motor

Movement
Swing

Infrared Sensors
Turnstile Gate Has 7 Pairs
Walk-Through Metal Detector Has 2 Pairs

Gross Weight
743lb/337kg

MCBF
10 million

Operating Frequency
5.7 kHz to 9.6 kHz

Operating Environment
Indoor Only


Operating Temperature
32°F to 113°F (0°C to 45°C)

Operating Humidity
<93% (Non-condensing)

External Dimensions
43.13" W x 67" L x 71.5" H
(1703 x 1164 x 1816mm)

Lane Dimensions
28" W x 67" L x 71.5" H
(711 x 1703 x 1816mm)

Configuration



ARMATURA

Address: 190 Bluegrass Valley Parkway Alpharetta, GA 30005

Phone: +1-650-4556863

Email: sales@armatura.us

Website: www.armatura.us

Copyright © 2024 Armatura LLC @ ARMATURA, the ARMATURA logo, are trademarks of Armatura

